

# // VERTEX BOOTH VB




MODULAR BOOTH SYSTEM



## // FEATURES

- Modular system
- Booth construction allows almost any size or depth.
- Cross-draught extraction
- Wide range of base unit options



CROSS  
DRAUGHT

## // CONSTRUCTION

- 2mm steel, fully welded
- Powder coated
- Easily reconfigured



MODULAR  
TECHNOLOGY


## // APPLICATIONS

Designed for free-standing parts that require access from all sides.

VertEx Booth can be configured for dust, fume, or welding and grinding applications.



DUST  
EXTRACTION



FUME  
EXTRACTION



WELDING &  
GRINDING

# // VERTEX BOOTH VB



## FEATURES



### // MODULAR SYSTEM

Based on the VertEx modular system, the addition of flexible booth panels allow for the construction of large walk-in booths, quickly and efficiently.

### // VERTEX OPTIONS

Choose the most appropriate base unit from the VertEx VA and VR Ranges; including selecting a suitable filter for your process.

Then use the VB modular booth system to enclose and contain the process.




### // BUILD A BOOTH

From a simple extracted wall to a full height extracted booth, constructed within a day using the VertEx modular approach.

### // CONTROLS

We offer a range of options starting from separately controlled single phase units through to central or remotely controlled 3ph systems.






### // HIGH EFFICIENCY FANS

Using our VertEx VA or VP base units, the standard low-energy fans provide class-leading booth airflow at low power levels.



# // VERTEX BOOTH VB

## DIMENSIONS



## // NOTES

System shown is VB3-12-2 fitted to 3 x VA121824

Lights not shown

## SPECIFICATIONS

### // TECHNICAL DATA

MODEL	OVERALL			BASE UNITS		COMPONENTS			
	WIDTH A	DEPTH B	HEIGHT	UNIT	NO OFF	T1	T2	WALL	LIGHTS
VB1-12-1	1270	1050	2465	VA12xx24x	1	2	0	2	1
VB2-12-1	2540	1050	2465	VA12xx24x	2	2	0	2	2
VB3-12-1	3810	1050	2465	VA12xx24x	3	2	0	2	3
VB1-12-2	1270	2100	2465	VA12xx24x	1	2	2	4	2
VB2-12-2	2540	2100	2465	VA12xx24x	2	2	2	4	4
VB3-12-2	3810	2100	2465	VA12xx24x	3	2	2	4	6
VB1-18-1	1870	1050	2465	VA18xx24x	1	2	0	2	1
VB2-18-1	3740	1050	2465	VA18xx24x	2	2	0	2	2
VB3-18-1	5610	1050	2465	VA18xx24x	3	2	0	2	3
VB1-18-2	1870	2100	2465	VA18xx24x	1	2	2	4	2
VB2-18-2	3740	2100	2465	VA18xx24x	2	2	2	4	4
VB3-18-2	5610	2100	2465	VA18xx24x	3	2	2	4	6

### // GENERAL

<b>ORDERING</b>	Specify VertEx base models (see VA/VP ranges) and booth to required dimensions.
<b>LIGHTING</b>	2ft LED Striplights supplied as listed above. Other lighting options available to order.
<b>INSTALLATION</b>	Available as an option or easily completed in-house.
<b>FINISH</b>	Textured grey powder coat
<b>OTHER SIZES</b>	Sizes shown are an example. Wider and deeper units are available.

### // SEE ALSO

VertEx VA - Modular Cross-Draught System

VertEx VP - Pulse Cleaned Filter System